

EmssRobot®

MINI



Web : www.emssrobot.com

Mail : info@emssrobot.com



MINI

Simple structure and stable operating system.
Suitable for home use.

Transportation of household appliances
such as refrigerator | TV | refrigerator, ...

Ultralight weight motor and drive unit motor.

Storage space is motor after folding.



Simple Control Buttons

Green: Go up/down

Red: Brake/stop

Yellow: Go down/up





Folding & Opening Platform

5mm-thick aluminum alloy platform.

Easier to use and store.

Foldable Pul Rod

Telescopic pul rod makes
climbing stairs easier.

Certifications

EN15588:2010
EN15588:2010+A1:2017
EN15588:2010
EN15588:2010+A1:2017+A2:2018
EN15588:2010+A1:2017+A2:2018

EN15588:2010
EN15588:2018

Grade Of Waterproof



Unloaded Size / Loaded Size / Folded Size
1200mm/1200mm/1200mm
1200mm/1200mm/1200mm
1200mm/1200mm/1200mm
Net Weight / Gross Weight / Maximum Load
120kg / 180kg / 180kg
Adjustment Range / Fold Back / Up / Down
120 / 120 / 120
Trunk Opening Angle / Trunk Length
120° / 1200mm
Cargo Height Range
120-1200mm
Available Cargo Size Range / Length / Width / Height
Length > 120 / Width > 120 / Height > 120mm
Platform Lifting Function / Lifting Height
No / 0mm
Platform Material / Thickness
Aluminum alloy plate / 5mm
Platform Size / Length / Width
1200mm / 1200mm
Trunk Thickness / Trunk Reinforcement
12 / 12mm
Wheel Size / F / R
120mm / 120mm
Motor / Type / Voltage / Power
Brushed Motor / 24V / 100W
Battery / Type / Voltage / Capacity
12V / 12V / 12Ah
Speed Control / Control Speed
Hand Speed / 12 Steps / min
Maximum Rotation Angle
<120°
Minimum Turning Radius
1200mm
Time / Charge / Usage / Service Life
2h / 12h / 12h / 12h / 12h
Temperature / Use / °C / Storage / °C
0-40 / 0-40 / 0-40 / 0-40 / 0-40
Sound Level / Working Time
<120
Quality / Material / Price



EmssRobot®

MINI



Jiangsu Benhua Med. Equip. Co., Ltd.

Jiangsu Benhua Medical Technology Co., Ltd.

<http://www.benhuamed.com>

1200mm/1200mm/1200mm
120kg / 180kg / 180kg
1200mm/1200mm/1200mm